Safety Data Sheet

Issue Date: 26-Sep-2012

Revision Date: 19-Nov-2014

Version 1

1. IDENTIFICATION

Product Identifier

Product Name

Hilco Lens Cleaning Towelette

Other means of identification

SDS#

HLC-012W

Recommended use of the chemical and restrictions on use

Recommended Use

Lens cleaner. Instrument care. Water based cleaner.

Details of the supplier of the safety data sheet

Supplier Address

Hilsinger Company 33 West Bacon Street Plainville, MA 02762

Emergency Telephone Number

Company Phone Number

1-508-699-4406

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Liquid absorbed onto a towelette

Physical State Solid containing liquid

Odor Mild alcohol odor

Classification

The information below is for the liquid absorbed onto the wipe when used in an industrial setting. The wipe itself is considered a consumer good and when used as intended is unlikely to present a hazard.

Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 2

Hazards Not Otherwise Classified (HNOC)

Causes mild skin irritation

Signal Word Danger

Hazard Statements

Causes serious eye irritation Highly flammable liquid and vapor





Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eve/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	10-20
Ethylene Glycol Monobutyl Ether	111-76-2	1-10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice

If exposed or concerned: Get medical advice/attention.

Eve Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

Revision Date: 19-Nov-2014

eyes wide open while rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact

Wash with soap and water. If irritation persists or an allergic reaction occurs, call a

physician.

Inhalation

Move victim to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. If symptoms persist, call a physician.

Ingestion

Do not induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to a person who is unconscious or convulsing. Consult a physician.

Most important symptoms and effects

Symptoms

Causes mild skin irritation. Causes serious eye irritation. May cause irritation of the respiratory tract. May cause irritation of the gastrointestinal tract, nausea, vomiting and

diarrhea. May cause central nervous system effects.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Aggravated medical conditions include Central Nervous system, preexisting eye disorders, blood disorders, kidney disorders, liver disorders, skin disorders and respiratory disorders.

Revision Date: 19-Nov-2014

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable material.

Hazardous Combustion Products Carbon oxides.

Sensitivity to Mechanical Impact Not sensitive.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protective equipment as required. Avoid contact with eyes and skin. Remove all sources of ignition.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Use personal protective equipment as required. Soak up with absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Wear eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store locked up. Keep container tightly closed. Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of children. Store away from incompatible materials.

Incompatible Materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Page 3/8

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
1		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m³	
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m³	
		(vacated) S*	
Li		S*	

Appropriate engineering controls

Engineering Controls

Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

No special equipment required in normal use.

Skin and Body Protection

Protective gloves.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Remove and wash contaminated clothing before reuse. Wash hands before breaks and at the end of the workday. Provided regular cleaning of

equipment, work areas and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Solid containing liquid

Appearance

Liquid absorbed onto a towelette

Color

Colorless

Odor

Mild alcohol odor

Odor Threshold

No information available

Revision Date: 19-Nov-2014

Property

Values

Remarks • Method

Нq

Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point

Evaporation Rate Flammability (Solid, Gas)

Vapor Density

Upper Flammability Limits Lower Flammability Limit Vapor Pressure

Specific Gravity Water Solubility Solubility in other solvents

Partition Coefficient Auto-ignition Temperature

No information available No information available 12 °C / 54 °F

No information available

Not determined No information available

No information available No information available No information available No information available No information available No information available

Not determined

No information available

HLC-012W - Hilco Cleaning Towelette

Decomposition Temperature

No information available

Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties

Not determined Not determined Not determined Not determined

VOC Content

No information available

10. STABILITY AND REACTIVITY

Revision Date: 19-Nov-2014

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Incompatible Materials. Heat, flames and sparks.

Incompatible Materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

May be harmful by inhalation, ingestion, or skin absorption

Eye Contact

Vapor may cause irritation.

Skin Contact

May be harmful in contact with skin. may cause irritation.

Inhalation

May be harmful if inhaled. Avoid breathing vapors or mists. May cause irritation of respiratory tract. May cause central nervous system depression with nausea, headache,

dizziness, vomiting, and incoordination.

Ingestion

May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat) 4 h
67-63-0		mg/kg(Rabbit)	
Ethylene Glycol Monobutyl Ether	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (= 2.21 mg/L (Rat) 4 h = 450 ppm
111-76-2		Rabbit)	(Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

HLC-012W - Hilco Cleaning Towelette

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Revision Date: 19-Nov-2014

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		Х
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity

Avoid repeated exposure.

Target organ effects

Blood, Central nervous system (CNS), Eyes, hematopoietic system, Kidneys, Liver,

Respiratory System, Skin.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Revision Date: 19-Nov-2014

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

<u>California Hazardous Waste Status</u> This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

Not regulated

<u>IATA</u>

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl Alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Ethylene Glycol Monobutyl Ether	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute Health Hazard
Chronic Health Hazard
Fire Hazard
Sudden Release of Pressure Hazard
No
Reactive Hazard
No

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	15	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	4.33	1.0

Revision Date: 19-Nov-2014

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	X
Ethylene Glycol Monobutyl Ether 111-76-2	X	Х	Х

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards23Not determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection230B- Safety Glasses,
Gloves

Issue Date:26-Sep-2012Revision Date:19-Nov-2014Revision Note:New format

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet